



THE FOURTH STATE of MATTER (PLASMA) POWER GENERATION

Bruce A. Perreault

Nu Energy Horizons • PO Box 22 • Rumney, N.H. 03266
(603) 786-9316



Pre-Glow Discharge

Under the proper configurations and in the correct pre-glow discharge environment, more electrons can be released than what is required to trigger the release. This release of energy attains a high frequency oscillation that is indicative of the metal or metals involved in its release.

The release of high frequency energy from metals and semi metals (semiconductors) through the mechanism in the pre-glow discharge leads to the generation of radiant energy. This correlation has been identified through my findings. The release of high frequency energy from the atoms of electrical conductors is credited to my identification of the mechanism in the pre-glow discharge, or fourth state of matter. This has lead to extremely efficient alternative energy circuits.

The pre-glow discharge condition occurs when a sufficient amount of charge difference is applied across the gap of two electrical conductors. It makes a hissing sound if the electrodes are surrounded by air. The electrical properties between this gap change: electrons become "stripped" from their respective atoms and are liberated. In this state, air is **ionized** and is transformed into a

plasma and is no longer a gas. It is now in the fourth state of matter, the other three being solid, liquid, and vapor (gas). The fourth state of matter is a good conductor of electricity, its average resistance being much lower than that of the same substance in its gaseous state.

A good, readily available, spark gap combination is lead and iron. This combination generates plenty of radiant energy and causes noise to be heard on a radio in its vicinity. As a general rule, the better the thermoelectric difference between the dissimilar couple the more radiant energy that will be generated when it is exposed to a plasma field.

Early in the summer of 1981, the pre glow had first caught my attention. This is where I had observed it between two plastic insulated hook-up wires from radio shack. The plasma between the two wires was called into existence because of a high voltage power supply that I had obtained for my electrogravitic experiments. The two wires were twisted together and given a charge of around ninety kilovolts.

It was not until 1989 that I observed a high frequency signal on my

oscilloscope coming from the pre-glow discharge phenomenon. These signals were coming from across the room and originated from a crude component that I had built. This crude component consisted of a guitar wire that was centered through a section of PVC tubing. Around this tube was wrapped a coil of insulated transformer wire. This was my first ion-valve. It was excited with the same power supply from which I had observed the plasma effect several years previously.

I knew that my ion valve was generating high frequency oscillations using air ions, but did not find any practical applications for it until six years later. It was in this year (1995), that I realized the importance of the ion valve and its associated high frequency ion field, known as radiant energy to Moray, it being the essential principle behind his energy receiver.

In one experimental set-up, it was confirmed that when a charged capacitor is discharged through a spark gap that the stored energy is transferred by way of high frequency electrical oscillations. It was found that these oscillations occur directly before the discharge of the capacitor, thus the term, pre-glow discharge. It was found that during the pre-glow discharge plateau, energy is transferred from a primary to a secondary electrical coil. Directly after pre-glow discharge, a surge of current is measured. At the point of current surge is where most of the stored energy in the capacitor is released as wasted heat. It was apparent that by maintaining the pre-glow discharge plateau a very efficient mode of energy transfer and conversion can be obtained. Logically what is required is a control mechanism.




FIGURE 1. The Perreault Ion Valve
The Perreault Ion Valve serves to act as a controller for the pre-glow discharge.



TeslaTech FALL SPECIAL MEANS BIG SAVINGS!

**1999 Exotic Research Conference Videotapes
On Sale for \$9.95 each* until November 30, 2003!**

* Regular Price 19.95 -/- S/H additional -/- Two tape sets are 19.90!



SEEING IS BELIEVING!!!!

See **WORKING ANTIGRAVITY DEVICES!**
Discover an **ENGINE THAT RUNS ON MOUNTAIN DEW!!**
Weld metal to glass with **BROWN'S GAS!**
Watch **STIRLING ENGINES** at work!
POWER your house with **ENERGY FROM AIR!**
Put suppressed **ELECTROMEDICINE** to the test!
See *movement* restored in quadrapalegics!

It's all on the 1999 Conference Videotapes!

Alternative Medical Technology

600201: Ron Waling, NMD - *Heart Guard!*
600202: James Bare, DC - *Resonance Frequency Therapy*
600203: Dan Kunkel - *Bio-Resonance ... Sound Therapy*
600204: Elinor Gibbs - *Neuro-Kinesthetics...*

Health Hazards and Solutions

600205: Jesse Grenier - *Reversing the Aging Process*
600206: Steven Ammerman - *TTL...Performance Enhancer!!!*
600207: Joseph Bender - *Water... The Exotic Substance*
600208: Walter Rawls - *Prospects for Our Magnetic Future*
600209: Brian Andersen - *...Quantum Disk*

Antigravity Concepts & Reality

600210: Tom Valone - *Electrogravitics...*
600211: Dan LaRochelle - *David Hamel Technology*
600212: Rick Todish - *...Ionic Propulsion Antigravity Craft*

Advanced Energy Concepts

600213: Bill Beaty - *How Electricity REALLY Works!*
600214: Bruce Perreault - *...Radiant Energy Devices*
600215: Jeffery Hayes - *Tesla Turbines...*
600216: George Wiseman - *Brown's Gas...*

21st Century Technology

600217: Don Isaac - *The Stirling Engine...*
600218: Paul Pantone (2 tapes/\$19.90) - *GEET Parade of Inventions*

Conference Workshops

600220: Bruce Perreault (2 tapes/\$19.90) - *Radiant Energy Workshop*
600221: Paul Pantone - *GEET Technology Workshop*

Best Buy (After November 30, 2003... \$399.95!)

600224: 1999 Conference Collection - \$199.95!*

1999 Conference Collection

**SPECIAL PRICE
\$199.95!***

Get all 22 videotapes of the 1999 Exotic Research Conference. The information was important then... and still is.

Don't be a victim of the "organized opposition"! Order your tapes TODAY and see for yourself that sometimes Extraordinary ideas DO work!

TeslaTech, Inc

296 E Donna • Queen Valley, AZ 85218
Call (520) 463-1994 TODAY!

www.teslatech.info



Shipping/Handling Rates

1st Item: \$4-US; \$5-Can/Mex; \$8-Other
Each Add'l Item: \$1-US; \$2-Can/Mex; \$4-Other
Tape Set: \$15-US; \$20-Can/Mex; \$35-Other

This is where my ion valve finds its niche. Upon further investigation, it is found that it keeps pre-glow discharge oscillations at their plateau, and suppresses current surge in a spark gap. It is a self-regulating quenching device. When it is placed in series with an air-core transformer and arc gap, its plasma hisses smoothly, the arc in the spark gap is almost silent and is very small. Continuous oscillations can be seen on an oscilloscope. A light bulb connected to the secondary will glow brightly. This result is not possible without the ion valve included in the circuit.

The ion valve has the added feature of preventing back electromotive force, generated from inductive loads, from being discharged back through the circuit. Without the ion valve, energy is normally lost when it is discharged and is transformed into heat. Using the ion valve therefore has the effect of conserving energy.

Fundamental Radiant Energy Device

“Standard” scientific principles are not being violated. There is no fringe science involved with radiant energy power generation. This is a very old source of energy being extracted and harnessed in a unique way through my discoveries. What I have discovered is practically a limitless source of energy. Radiant energy has existed since the beginning of time. What I hold claim to is an improved method to generate and to convert radiant energy, kinetically active ions, cosmic energy, call it what you will, into useful electrical power.

Think of the radiant energy power generator as a type of energy detonator that liberates great quantities of energy with only a small exciting spark. No laws of physics are being violated. No new laws are being implied. They are being expanded. The concept is not that much different from how a lighted matchstick is able to start a bonfire. **The power generated from my circuits comes from the natural transformation of matter into radiant electricity. It does not come from the splitting of atoms.** To obtain high wattage from a spontaneously radioactive substance would require unsafe amounts of radioactive material.

Under the right conditions, ordinary matter can be made to generate intense surges of radiant energy that can be heard on a radio receiver as static noise. Build a device that can efficiently capture this energy and convert it into useful electrical currents and you will have yourself a powerful source of electrical power. This device will be powered by artificially disintegrating matter as described by Gustave Le Bon in his book “The Evolution of Matter” and in his book “The Evolution of Forces”.

Energy and matter are two distinct entities of the same manifestation. Matter represents a stable condensed form of energy. Heat, light, electricity, etc., are uncondensed vibrations of matter oscillating at differing rates. “Cosmic Energy” is the term that Le Bon used to define matter and energy as being one and the same manifestation. He theorized that when stable matter is disintegrated it is transformed into energy that we recognize as heat, light, electricity, radioactivity, etc.

Semiconductors will generate intense surges of electron oscillations that become powerful sources of radiant energy. A simple **ion valve**, or call it what you will, can be used to generate and convert this form of radiant energy into useful electromagnetic oscillations. A tuned transformer can be used to directly convert these oscillations into to a practical voltage and amperage. This unique valve is shown in **Figure 1**. Before it can function it must be connected to a suitable voltage source. The circuit in **Figure 2** demonstrates the full working concept. Other embodiments are also possible. The proof of concept circuit reveals how radiant energy can be generated and converted into useful electrical currents. Many additional stages can be added for more power. Many other circuit and component configurations can also be used but the fundamental conversion principle remains the same. The circuit and components shown should give you a very clear idea of how the technology works. The actual mechanics and electronics of building and validating a radiant energy prototype are relatively simple. Contrary to what some people

might think, dangerous levels of radioactivity are never used in my devices.

Ion-valve Converter Technology

The ion-valve converter (ion-valve) shown in Figure 1 has an axial negatively charged tungsten cathode wire that extends the length its cylinder and is capable of emitting secondary electrons. The anode cylinder is positively charged and is made from a semiconductive material that will readily capture electrons.

Within a few milliseconds the accumulated negative ions are attracted to the positively charged onrushing atomic ions. When the negative and positive charges collide they neutralize each other generating high frequency electrical oscillations.

There appears to be a common thread shared between several alternative energy devices. It is the pre-glow discharge

- The report on the **Hans Coler** device released by the British Government indicates that there is excess energy released when electrical contacts are opened and closed.
- The **Lester Hendershot** device utilized a buzzer circuit that opened and closed its electrical contacts.
- In the **Alfred Hubbard** coil pre-glow discharge flowed through electrical contacts, a distributor cap and radium soaked spark plug.
- The **Joseph Newman** motor used a sparking commutator.
- **Thomas Moray** invented a glowing, cold cathode discharge tube that was the heart of his radiant energy device.
- **Hermann Plauson** was granted U.S. Patent No. 1,540,998 that used spark gaps to convert atmospheric energy.
- **Frank Wyatt Prentice** was granted Canadian Patent No. 253,765 that detailed his invention, which lighted 50 sixty-watt carbon lamps with an input of only 500 watts. His invention utilized a spark gap driven high frequency tuned resonant system.
- **Chancy Britten** used ion-valves constructed with a central wire that was surround by a coil of wire which is described in his US Patent No. 1,826,727. Britten’s valve was said to



The Planetary Association for Clean Energy

A collaborative network of advanced scientific thinking since 1975

A **Sample copy** of our **Newsletter**, with list of books, videos, software and CD-ROMs, is available upon request!

Brown's Gas · Advanced Therapeutics · Consciousness Studies · Electromagnetic Field Bioeffects · Free Energy Devices · Human Rights Of Scientists · Clean Agriculture · Legacy Of Nikola Tesla · Scalars And The Fundamentals Of Physics Nuclear And Toxic Waste Decontamination

Planetary Association for Clean Energy
100 Bronson Avenue, Suite 1001
Ottawa, Ontario K1R 6G8
CANADA

email: pacenet@canada.com

Visit our website...
<http://pacenet.homestead.com>



The Journal of Borderland Research

Quarterly Magazine
\$30 annually (US)

Borderland Sciences' official quarterly publication originated as Meade Layne's Round Robin in 1945, and was changed to The Journal of Borderland Research in 1959. The Journal of Borderland Research is an information resource for scholars and researchers on the frontiers of science and awareness. Featured in the current issue:

- *Physical Mechanisms In Astrology and Human Behavior*- Buryl Payne
- *Transmutations Of Nuclear Waste* - R. A. Nelson
- *The Language Of Radionic Rates* - Ina Manzoor
- *Transmutation Through the Wave Field* - Rhett Jacobson Baumgartner
- *The Sabians Of The House Of Wisdom- A History Of Gnostics* - Jonathan Sellers
- *Clips, Quotes, & Comments* - Editor

... and much, much more!!!

Borderland Research
Post Office Box 6250
Eureka, California 95502

www.borderlands.com

have lit up his home in the 1930's according to a local newspaper article of that time period.

- **Alexander Chernetski** experimented with what appears to have been a type of ion-valve that was filled with hydrogen gas. It is said that he got up to five times more energy out of his device than what he put into it.
- **Edwin Gray** was granted U.S. Patent No. 3,890,548 for his efficient spark gap driven capacitive-discharge motor. He improved on this patent by replacing the spark gaps with a pre-glow discharge switching tube. His U.S. Patents No. 4,595,975 and No. 4,661,747 describes this tube in detail. Gray's patents claim to conserve battery power by sending unused energy back to the supply batteries. On close examination, we also find that his switching tube is actually a quenching device.
- Radiant energy was generated during the pre-glow discharge cycle that also contributed to recharging the batteries. **Paulo N. Correa** and **Alexander N. Correa** obtained patents to a pulsed pre-glow discharge system that recovers energy and recharges a battery.

I have found that radiant energy is generated when a plasma field is in contact with the atoms of an electrical conductor. Most importantly, the quantity of radiant energy is greatly increased when the plasma field occurs between the inter-electrode couple of two differing electrical conductors. That, the wattage produced will depend largely on the type of electrode materials that are used. I do not suspect that the

above referenced inventors were aware of this amplifying mechanism.

In the embodiment in **Figure 1**, the negative charge on the wire in the ion-valve negatively ionizes any gas that contacts it. These ions rush towards the positively charged cylinder. When a metal ion that carries an excess electron hits head-on with an elementary differing positively charged onrushing metal ion a violent union of the two metals occurs. This causes the newly formed bimetallic alloy to violently oscillate, break up (dissociate) and to liberate a burst of electrons.

The "**sea electron model**" helps to explain this effect. According to the sea electron model metals are bonded to each other through electron sharing. The model suggests that metal atoms be bathed in a sea of valence electrons. If this model is taken one step further it can be seen that when metallic atoms are dissociated from each other excess electrons are released in the form of electrical oscillations of high frequency (radiant energy). This occurs because the electrons no longer take part in the inter-atomic binding force that existed before the dissociation took place. It becomes clear that the freed electrons will add amperage to the output circuit to which it is connected. Henceforth, the equation $I \times E = P$ holds true in this system. Where, "I" represents the electrons (amperage), "E" electromotive force (ionic voltage), and "P" the power generated.

Obtaining Electrical Energy from the Transformation of Cosmic Energy

Matter is cosmic energy in a condensed state according to Le Bon and Moray.



Electrifying Times

63600 Deschutes Market Road
Bend, OR 97701
541-388-1908

Electrifying Times is an international magazine on the emergence of electric vehicles, hybrid electric vehicles, advanced batteries, fuel cells, micro turbines, ultra capacitors and other new clean zero-emission technologies.

Subscription Rates (in U.S. funds):
\$13 USA • \$18 Canada • \$21 International
Backissues are available.

<http://www.electrifyingtimes.com>

What this means is that matter can be excited to its plasma state, and caused to rapidly disintegrate transforming itself into electricity.

The proof of concept shown will obtain energy from the dissociation of matter bringing the circuit to life. It does this by creating a plasma field between differing electrical conductors. Electrons are unleashed and feedback to the circuit where they are converted into useful power.

Plasma oscillating on the correct wavelength will act like a spark on a mass of explosive material but releasing electrical particles instead of heat. This is to say that the excited fourth state of matter (plasma) causes condensed energy (solid matter) to become uncondensed (radiant energy). The reaction will be far superior to the force that invoked it in the first place because the energy stored in matter is released. The energy that is condensed in the elements of matter is immense. The result is that an enormous amount of energy is released with only a slight loss of matter. Gustave Le Bon proved this when he demonstrated that the action of solar light and from electric arcs on bodies produced electric particles similar to those of uranium. He showed that it caused all bodies to disintegrate to different degrees.

According to the law of conservation, when we give to a material body a determined quantity of energy, this energy might be transformed, but the body will never give back a quantity in excess of what it received. This principle is considered too self-evident to be disputed. It makes sense that matter can only give up energy that is given to it and is unable to create excess energy.

Without violating this law, matter can be excited into giving up its stored inter-atomic energy. Condensed matter can become uncondensed if its oscillations become violent enough and henceforth transforming itself into radiant energy. No laws have been violated. They have been expanded. The first law of thermodynamics describes the principle of the conservation of energy. It states that "energy is not created or destroyed; it merely changes

form". The fact is that the creation or destruction of energy is a result of matter being broken down or built up. They both go hand in hand.

Naturally occurring radioisotopes were created through the billions of years of **cosmic ray** bombardment of ordinary matter. Their matrixes became unbalanced. The correct trigger will cause these isotopes to seek their original balanced state. Enormous amounts of electrical energy can be obtained from the transformation of stored cosmic energy. These isotopes contain a very old energy reserve that can be released in a unique way with my discoveries.

Have you ever wondered about spontaneous radioactive decay? Is it really a super charged state of matter? If an atom can become ionized by either gaining or by losing electrons then why can there not be a nuclear ionization too? I hypothesize that atoms do become ionized on the nuclear level by gaining or losing neutrons. This may appear incidental but could be at the very heart of an ultra-chemistry. It is highly probable that this hypothesized phenomenon is behind natural spontaneous radioactive decay and explains many unanswered questions about nuclear science.

Liberated Energy

With a slight excitement from a pre-glow discharge in a spark gap, or even with no excitement at all, as we observe in spontaneously disintegrating radioactive bodies, such as U235, we can obtain

large quantities of energy. Clearly, we did not create this liberated energy, since it already exists in matter, but we release it under the right conditions. This is being done without violating the law of energy conservation. The idea that matter could be transformed into energy was absurd before the acknowledgment of nuclear transformations.

A Nu Science is on the horizon. It involves the means of transforming matter into energy without splitting atoms. This science recognizes several isotopes of matter that spontaneously liberate energy as observed in naturally occurring radioisotopes. My research indicates that it is also possible to artificially speed up the natural decay process of condensed energy (matter) using a minute plasma field, as from a pre-glow discharge, etc... With a very small quantity of energy, we will be able to produce a very large quantity of energy without splitting the atoms.

Capture Capacitor

Nature offers us cosmic energy that manifests itself in many different forms. Electricity is only one of its manifestations. From this knowledge, we can obtain electrical power with no moving parts. The natural world contains many storehouses of this cosmic energy. Energy is all around us just waiting to be transformed. The capture capacitor is one such example. It is called a capture capacitor because it captures and transforms electrical charge into electrical current. It does this with the aid of naturally occurring radioactive matter (N.O.R.M.). Put a pair




FIGURE 2. Radiant Energy Circuit

The Perreault Ion Valve is used as a controller for the pre-glow discharge.

Cosmic energy is clean... safe, and virtually limitless.



HARNESSING COSMIC ENERGY

by Bruce Perreault

**Order Your Copy
TODAY!**

\$24.95 + Ship/Hand

S/H: \$5-US; \$6-Can; \$9-Oth

Contents: Atmospheric Electricity, The Wireless Telegraphic Connection, T. H. Moray's Circuitry, Early Demonstrations, My Radiant Energy Research (now includes details on how to obtain author's radon emissive material), Ion-Valve Converter Technology Explained, Modern Radiant Energy Conversion System, Treatise on Matter & Energy, Alpha Fusion, The Truth About Nuclear Science, and Hermann Plauson's Patent...

Dr. T. Henry Moray's research involved the direct application of Radiant Energy, to the ultimate electric particles of the atoms and molecules of the Universe. One of his prototypes measured about 42" x 26" x 22" and weighed no more than sixty pounds. It generated around four kilowatts of electrical power and was demonstrated in front of scores of witnesses... but was bitterly opposed by the entrenched economic interests.

In its' widest form Radiant Energy can be said to be the "Holy Grail of Free Energy," and those who wish to study this exciting subject will do well to give serious attention to Dr. Moray's original discoveries and to Mr. Perreault's recent research. This book holds the final key to converting cosmic radiant energy into electrical power. *Order Yours Today!*




Tesla Tech, Inc. Home of ExtraOrdinary Technology!

296 E Donna Dr • Queen Valley, AZ 85218

(520) 463- 1994 • - FAX (801) 729-3661

www.teslatech.info

Try NEXUS Magazine RISK FREE!



**GOVERNMENT
COVER-UPS
SUPPRESSED
SCIENCE
HEALTH
OPTIONS
UFO's &
THE UNEXPLAINED**

ORDER YOUR FREE ISSUE!!

Pay the bill which follows to continue the subscription or cancel and keep the issue with no further obligation.

Call Toll Free: 888 909 7474

NEXUS Magazine 2940 E. Colfax #131, Denver, CO 80206

Six Times Each Year / 80+ pages

SPECIAL RATE: \$19.95 When You Reference This Ad

(Add \$5.00 /year Canada / \$10.00/year Centr & S.Amer.)

of dissimilar metal electrodes together with a porous ceramic dielectric material sandwiched between them, along with a weak electrolyte and you have built a capture capacitor. In a low power capture component there exists a minute impurity of N.O.R.M. It is always present in clays and is usually present in ceramic materials.

If you want a capture capacitor to generate more power all you have to do is to add additional amounts of radioactive material to the dielectric. Lead-210 is the optimum choice because it has a half-life of around 22.3 years and is a pure beta (electron) emitter. Its half-life is almost twice as long as tritium. This means that it is feasible to build a component that will put out power for several years with little maintenance. Lead-210 is a decay product of radon gas. The parent source of radon is uranium. Therefore, uranium ore can be powdered and mixed into the ceramic material.

The atomic ions emitted from naturally occurring or artificially induced radioactive transformations can be directly converted to electrical power. The circuit shown can be used to convert radiant energy into useful electrical currents. Additional stages can be added for more power. The circuit shown gives a general idea of how such an energy conversion device functions. By no means is this technology limited to this one circuit, configuration, or source of radiant energy. **BP**

For recent developments please visit our website at...

<http://www.nuenergy.org>



Sep 19-20, 2003

Friday & Saturday

**THIRD ANNUAL
INVENTOR'S WEEK-END!**

Seattle-Tacoma, WA

VIDEOTAPES AVAILABLE!

For More Information Call

(603) 786-9316